







# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

			ATTORNEY DOCKET NO.	CONFIRMATION NO.	
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	500783.01	8038	
09/780,279	02/09/2001	A. Buell Ish III	EXAMINER		
1	90 11/21/2003		MATHEW, FENN C		
Dale C Barr E BLACK LOW	E & GRAHAM PLLC		ART UNIT PAPER NUMBE		
816 Second Avenue Seattle, WA 98104			3764  DATE MAILED: 11/21/200	)3 NO	

Please find below and/or attached an Office communication concerning this application or proceeding.

٠		Applicati n N .		Applicant(s)	9		
Office Action Summary		09/780,279		ISH, A. BUELL			
		Examin r		Art Unit			
		Fenn C Mathew		3764			
The MAILING DATE of this co Period for Reply	mmunication app	ears on the cover shee	et with the co	orresponaence ad	iaress		
A SHORTENED STATUTORY PER THE MAILING DATE OF THIS COM - Extensions of time may be available under the p after SIX (6) MONTHS from the mailing date of t - If the period for reply specified above is less that - If NO period for reply is specified above, the may - Failure to reply within the set or extended period - Any reply received by the Office later than three earned patent term adjustment. See 37 CFR 1.7  Status	IMUNICATION. rovisions of 37 CFR 1.1: nis communication. thirty (30) days, a reply timum statutory period v for reply will, by statute months after the mailing	36(a). In no event, however, more within the statutory minimum of vill apply and will expire SIX (6), cause the application to become	nay a reply be time of thirty (30) days ) MONTHS from the me ABANDONED	ely filed  will be considered timel the mailing date of this c (35 U.S.C. § 133).	ly. ommunication.		
1)⊠ Responsive to communication	n(s) filed on <u>28 A</u>	ugust 2003.					
2a) This action is FINAL.	2b)⊠ This	action is non-final.		·			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) ⊠ Claim(s) 2-9,12-23 and 36-41 4a) Of the above claim(s) 5) □ Claim(s) is/are allowed 6) ⊠ Claim(s) 2-9,12-23 and 36-41 7) □ Claim(s) is/are objected 8) □ Claim(s) are subject to	is/are withdrav is/are rejected. d to.	wn from consideration					
Application Papers							
9) The specification is objected to 10) The drawing(s) filed on Applicant may not request that an Replacement drawing sheet(s) in 11) The oath or declaration is objected to	is/are: a) acc ny objection to the cluding the correct	epted or b) objecteder drawing(s) be held in ab tion is required if the dra	peyance. See wing(s) is obje	37 CFR 1.85(a). ected to. See 37 C			
Priority under 35 U.S.C. §§ 119 and 1							
12) Acknowledgment is made of a a) All b) Some * c) Nor 1. Certified copies of the particle of	ne of: priority document prior	s have been received s have been received rity documents have but (PCT Rule 17.2(a)), of the certified copies or priority under 35 U.S st sentence of the special poisonal application had priority under 35 U.S or priority under 35 U.S or priority under 35 U.S	I. I in Application peen receive s not receive S.C. § 119(e) ecification or has been receive S.C. §§ 120	on No  d in this National  d. ) (to a provisional in an Application eived. and/or 121 since	al application) n Data Sheet. e a specific		
Attachment(s)		<u></u>					
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing R     Information Disclosure Statement(s) (PTO-		5) 🔲 Notic	ce of Informal Pa	(PTO-413) Paper No atent Application (PT			

Art Unit: 3764

#### **DETAILED ACTION**

## Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on August 28, 2003 has been entered.

## Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 2-3, 5-9, 12-13, 15, 18-21, 36-38, and 40 rejected under 35 U.S.C. 102(b) as being anticipated by Kuervers (U.S. 4,938,477). Referring to claim 6, Kuervers discloses in column 3, lines 21-28, a pad assembly comprising a compressible layer (25) having a first surface adapted to engage a portion of a user's body, and a second surface opposite from the first surface, and an elongated plate member (26) of approximately uniform thickness (see figs. 5-6) having front and back surfaces, the front surface being engaged with the second surface of the compressible layer, and wherein the front surface of the elongated plate member is shaped to provide an approximately

Art Unit: 3764

uniform-thickness portion of the compressible layer when a compression force is applied to the first surface during an exercise.

- 4. Referring to claim 2, Kuervers discloses the elongated plate backing member comprising a contoured support attached to the second surface.
- 5. Referring to claim 3, Kuervers discloses the front surface comprising a contoured portion that provided a compressed shape of the compressible layer that approximately corresponds with an anticipated shape of the portion of the user's body.
- 6. Referring to claim 5, Kuervers discloses the first surface comprising a concave portion adapted to engage a portion of the user's body.
- 7. Referring to claim 7, Kuervers discloses a device wherein the approximately uniform-thickness portion is co-extensive with a portion of the first surface adapted to engage the portion of the user's body.
- 8. Referring to claim 8, Kuervers discloses the front surface of the elongated plate member is shaped to provide an approximately uniform pressure portion when a compression force is applied to the first surface during exercise.
- 9. Referring to claim 9, Kuervers discloses the device further comprising a coupling assembly (28, 29) coupled to the back surface of the elongated plate member and being adapted to attach to an exercise device.
- 10. Referring to claim 12, Kurevers discloses a device including a backing plate of approximately uniform thickness having front and back surfaces and being elongated in a first direction along a first axis, the backing plate being contoured such that the first axis forms a curve, and a compressible member having a first surface adapted to

Art Unit: 3764

engage a portion of a user's body and a second surface opposite from the first surface, the second surface being coupled to the front surface of the backing plate such that a compression force applied to the first surface provides an approximately uniform-thickness portion of the compressible member between the first surface and the backing plate.

- 11. Referring to claim 13, Kuervers discloses the second surface of the compressible member comprises a depressed portion adapted to fittingly engage at least a portion of the backing plate.
- 12. Referring to claim 15, Kuervers discloses the approximately uniform-thickness portion is co-extensive with a portion of the first surface adapted to contact the portion of the user's body.
- 13. Referring to claim 18, Kuervers discloses the compressible member providing a first surface approximately corresponding with an anticipated shape of the portion of the user's body when a compressible force is applied.
- 14. Referring to claim 19, Kuervers discloses a pad assembly comprising a layer of compressible padding (25) having a first surface adapted to engage a portion of a user's body and a second surface opposite from the first surface; and a backing structure (26) attached to the layer of compressible padding and having an approximately uniform-thickness, the backing structure including a backing surface proximate the second surface and being shaped to provide an approximately uniform-thickness portion of the layer of compressible padding when a compression force is applied to the first surface.

Art Unit: 3764

0

- 15. Referring to claim 20, Kuervers discloses the backing structure is contoured such that the compression force is approximately uniformly distributed over the first surface.
- 16. Referring to claim 21, Kuervers discloses the approximately uniform-thickness portion is co-extensive with the first surface.
- 17. Referring to claim 36, Kuervers discloses a method including providing a compressible layer having a first surface, and a backing structure having an approximately uniform-thickness and including a non-planar backing surface engaged against the compressible layer opposite the first surface, and pressing a portion of a user's body against the first surface to compress the compressible layer between the portion of the user's body and the non-planar backing surface and to form an approximately uniform-thickness portion of the compressible layer therebetween.
- 18. Referring to claim 37, Kuervers discloses pressing a portion of a user's body against the first surface to compress the compressible layer comprises pressing a portion of a user's body against the first surface to form an approximately uniform-thickness portion of the compressible layer that is co-extensive with the portion of the user's body.
- 19. Referring to claim 38, Kuervers discloses the method wherein pressing a portion of a user's body against the first surface to compress the compressible layer comprises pressing a portion of the user's body against the first surface to form an approximately uniform-pressure distribution on the portion of the user's body (inherently due to the shape of the backing structure).

Art Unit: 3764

- 20. Referring to claim 40, Kuervers discloses the method wherein pressing a portion of a user's body against the first surface to compress the compressible layer comprises pressing a portion of a user's arm against the first surface.
- 21. Claims 36 and 41 are rejected under 35 U.S.C. 102(b) as being anticipated by Schiavone (U.S. 5,462,508). Referring to claim 36, Schiavone discloses a method comprising providing a compressible layer (40) having a first surface and a backing structure having an approximately uniform thickness and including a non-planar backing surface engaged against the compressible layer between the portion of the user's body and the non-planar backing surface and to form an approximately uniform thickness portion of the compressible layer there between.
- 22. Referring to claim 41, Schiavone discloses the method wherein pressing a portion of the user's body against the first surface to compress the compressible layer comprises pressing a portion of a user's shoulder against the first surface.
- 23. Claims 12, 14, 19, 23, 36, and 38, are rejected under 35 U.S.C. 102(b) as being anticipated by Evans (U.S. 5,120,052). Referring to claim 12, Evans discloses a pad assembly comprising a backing plate (24) of approximately uniform thickness having front and back surfaces and being elongated in a first direction along a first axis, the backing plate being contoured such that the first axis forms a curve, and a compressible member (26) having a first surface adapted to engage a portion of a user's body, and a second surface opposite from the first surface, the second surface being coupled to the front surface of he backing plate such that a compression force applied to the first

Art Unit: 3764

surface provides an approximately uniform-thickness portion of the compressible member between the first surface and the backing plate.

- 24. Referring to claim 14, Evans discloses the pad assembly wherein the backing plate comprises a contoured pad support projecting from a moveable portion (22) of the exercise machine.
- 25. Referring to claim 19, Evans discloses a pad assembly comprising a layer of compressible padding (26) having a first surface adapted to engage a portion of a user's body a second surface opposite from the first surface, and a backing structure attached to the layer of compressible padding and having an approximately uniform-thickness, the backing structure including a backing surface proximate the second surface and being shaped to provide an approximately uniform-thickness portion of the layer of compressible padding when a compression force is applied to the first surface.
- 26. Referring to claim 23, Evans discloses the backing structure comprising a channel (30) attached to the backing structure opposite from the layer of compressible padding and adapted to attach to a support portion of an exercise machine.
- 27. Referring to claim 36, Evans discloses providing a compressible layer having a first surface, and a backing structure having an approximately uniform thickness and including a non-planar backing surface engaged against the compressible layer opposite the first surface, and pressing a portion of the user's body and the non-planar backing surface and to form an approximately uniform-thickness portion of the compressible layer there between.

Page 8

Application/Control Number: 09/780,279

Art Unit: 3764

28. Referring to claim 39, Evans discloses the method wherein pressing a portion of a user's body against the first surface to compress the compressible layer comprises pressing a portion of a user's arm against the first surface.

## Claim Rejections - 35 USC § 103

- 29. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 30. Claims 4, 16-17, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kuervers. Referring to claims 4, 16, and 22, Kuervers has disclosed above Keurvers discloses the claimed structure except for the specific radius of curvature range. The aforementioned feature is considered a matter of design choice, wherein no stated problem is solved, nor any unexpected result attained using the radius of curvature of the Kuervers device.
- 31. Referring to claim 17, Kuervers discloses the claimed invention except for the specified material. Kuervers discloses the use of foam pads in col. 3, lines 21-22, but does not specifically name polyurethane. The specific material used would have been obvious to one having ordinary skill in the art at the time of invention, as the skilled artisan would have chosen a material based on its suitability for the intended purpose.

### Response to Arguments

Art Unit: 3764

32. Applicant's arguments with respect to claims 2-9, 12-23, and 36-41 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fenn C Mathew whose telephone number is (703) 305-2846. The examiner can normally be reached on Monday - Friday 9:00am - 5:30pm.

The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9302.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-

1148.

cm

cm

November 12, 2003

NICHOLAS D. LUCCHESI SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700